

Price List
for
Olympus Microscopes
August 1978

The prices in this list are arranged in 19th Edition catalogue order, except for the graticules on page 5. When using the list in conjunction with the Olympus microscope catalogue please use the Gallenkamp catalogue numbers. You will then be able to locate the required item. When used with the smaller Olympus brochures it will be simpler to use the Olympus designations.

Please note that VAT is additional to the prices given.

SALES AND DISTRIBUTION

LONDON — HEAD OFFICE

A Gallenkamp & Company Ltd
PO Box 290 Technico House
Christopher Street
London EC2P 2ER
Telephone 01-247 3211
Telex 886041

BRANCHES

BIRMINGHAM

Frederick Street
Birmingham B1 3HT
Telephone 021-236 2552

EAST KILBRIDE

Braeview Place Nerston
East Kilbride Glasgow G74 3XJ
Telephone 035 52 22281

STOCKTON-ON-TEES

Portrack Lane
Stockton-on-Tees Cleveland TS18 2PT
Telephone 0642 63441

WIDNES

PO Box 19 Victoria House
Croft Street Widnes Cheshire WA8 0NL
Telephone 051-424 2040

GROUP SERVICE ORGANISATION

PO Box 290 Technico House
Christopher Street
London EC2P 2ER
Telephone 01-247 3211

We are restricted in our sale of Olympus microscopes outside the United Kingdom. However we are able to supply overseas in certain circumstances. Please contact the Olympus Department at our Head Office : Christopher Street, London EC2P 2ER.

© 1978 Gallenkamp.

A member of the Fisons group of companies.

CONDITIONS OF SALE

All orders are accepted and goods supplied by us on the terms of our published Conditions of Sale. Quoted and printed prices for goods are ex works and are subject to alteration without notice ; we reserve the right to invoice goods at our prices and the VAT rates ruling at the date of despatch.

REGISTERED TRADEMARKS

Gallenkamp, Technico, Compenstat, and ASDA are trademarks of A Gallenkamp & Co Ltd, registered in the U.K. and other countries.

Cat. No.	Description	Price £
Student Microscopes		
MJA-200-G	Model MIC, magnifications 40× to 300× - - - -	52.00
MJA-350-J	Model STN-3RE, magnifications 40×, 100×, 200× - -	102.50
MJA-500-F	Model HSC, with condenser, magnifications 40×-100×- 400× - - - - - - - - - -	127.00
MJA-550-Q	Model HSC phase contrast. As HSC but phase contrast on 400× - - - - - - - - - -	206.00
Student and General Purpose Microscopes CH		
MJF-700-Y	Model CHC001, inclined monocular, with mirror - - - -	202.00
MJF-740-D	Model CHC 002, inclined monocular, with mirror - - - -	238.00
MJF-780-V	Model CHC003, inclined monocular, with mirror - - - -	248.00
MJF-900-P	Model CHB213, inclined binocular, 20W tungsten illumination	432.00
MJF-930-R	Model CHA213, inclined binocular, 10W quartz halogen illumination - - - - - - - - - -	498.00
MJF-950-030R	Lamp bulb for CHB213 - - - - - - - - - -	2.35
MJF-950-070F	Lamp bulb for CHA213 - - - - - - - - - -	6.65
MJF-950-502C	Storage cabinet for CH (Please advise microscope model) - -	20.20
MJF-950-752C	Electrical base for CHB213 - - - - - - - - - -	36.00
MJF-950-756K	Electrical base for CHA213 - - - - - - - - - -	89.00
MJK-100-G	Stand CHA-F. Without lamp bulbs - - - - - - - - - -	174.00
MJK-130-Y	Stand CHB-F. Without lamp bulbs - - - - - - - - - -	119.00
MJK-170-D	Stand CHC-F. Without mirror - - - - - - - - - -	84.50
MJK-290-E	Head, inclined monocular CH-MO45 - - - - - - - - - -	28.00
MJK-330-P	Dual head CH-DO, for teaching - - - - - - - - - - (Other heads listed under BH models)	P.O.A.
MJK-480-S	Mechanical stage CH-MV, right-hand controls - - - - -	50.00
MJK-500-U	Mechanical stage CH-MVL, left-hand controls - - - - -	50.00
MJK-670-J	Condenser CH-CD - - - - - - - - - -	22.00
MJK-700-E	Dark field stop CH-DS, fits into CH-CD. For low/medium powers - - - - - - - - - -	0.80
MJK-730-G	Phase contrast condenser CH-PC, simple pattern - - - - -	24.80
MJK-734-502E	Phase annulus for 10× objective. Fits into CH-PC - - - -	5.00
MJK-734-504A	Phase annulus for 20× objective. Fits into CH-PC - - - -	5.00
MJK-734-508P	Phase annulus for 40× objective. Fits into CH-PC - - - - (See Objectives section for phase contrast objectives)	5.00
MJK-910-E	Light source CH-LSK, 20 watt, for use with CHC - - - - -	16.00
MMV-570-010J	Spare bulb for CH-LSK, 20 watt - - - - - - - - - -	1.50
MJK-950-W	Mirror, CH-MM- - - - - - - - - - -	4.30
Routine and Research Microscopes, Modular, BH		
MKC-250-J	Model BHC-211, binocular, 15 watt illumination. Achromatic objectives - - - - - - - - - -	657.00
MKC-290-E	Model BHC-411, trinocular, 15 watt illumination. Achromatic objectives - - - - - - - - - -	705.00
MKC-320-W	Model BHC-411S, trinocular, 15 watt illumination. Semi-flat objectives - - - - - - - - - -	743.00
MKC-400-F	Model BHB-211, binocular, 30 watt illumination. Achromatic objectives - - - - - - - - - -	764.00
MKC-440-A	Model BHB-411, trinocular, 30 watt illumination. Achromatic objectives - - - - - - - - - -	812.00
MKC-480-S	Model BHB-213, binocular, 30 watt illumination. Plan- achromatic objectives - - - - - - - - - -	1023.00
MKC-520-G	Model BHB-413 trinocular, 30 watt illumination. Plan- achromatic objectives - - - - - - - - - -	1071.00
MKC-600-M	Model BHA-211, as BHB-211 but with separable nosepiece - -	817.00
MKC-640-H	Model BHA-411, as BHB-411 but with separable nosepiece - -	365.00
MKC-680-C	Model BHA-213, as BHB-213 but with separable nosepiece - -	1213.90
MKC-720-N	Model BHA-413, as BHB-413 but with separable nosepiece - -	1261.00
Component parts and accessories for BH		
MKE-300-Q	Stand BHA-F without lamp house or nosepiece - - - - -	379.00
MKE-320-502B	Nosepiece BH-RE, for BHA - - - - - - - - - -	49.00
MKE-370-N	Stand BHB-F without lamp house - - - - - - - - - -	375.00
MKE-410-B	Stand BHC-F - - - - - - - - - -	295.00
MKE-320-540Q	Wooden case. (Please state whether required for BHA/B or BHC - - - - - - - - - -	51.00

Cat. No.	Description	Price £
Component parts and accessories for BH—cont.		
MKE-430-504F	Bulb for BHC. 15W. Pre-centred and pre-focused — — —	5.15
MKE-650-D	Lamphouse BH-LH, for BHA/B. Without bulbs — — —	26.00
MKE-660-010Q	Bulb for BHA/B, 30W. Pre-centred and pre-focused — — —	5.15
MKE-700-H	Quartz halogen illuminator BH-LSH, 100W, for BHA/B. With transformer — — — — — — — — —	273.00
MKE-720-506H	Spare bulb, quartz-halogen, 100W. (One spare supplied with BH-LSH) — — — — — — — — —	11.00
MKE-820-Y	Transmitted fluorescence outfit BH-LSF with spare 50W mercury lamp, stage BH-SVF, power unit and filters, etc. —	1255.00
MKE-840-502Q	Spare mercury lamp HBO, 50W — — — — — — — — —	133.50
MKF-250-010W	Head, inclined binocular BH-Bi45 — — — — — — — — —	114.00
MKF-250-030Q	Head, inclined binocular BH-Bi30 — — — — — — — — —	114.00
MKF-290-010R	Head, inclined trinocular BH-Tri45 — — — — — — — — —	145.00
MKF-290-030L	Head, inclined trinocular BH-Tri30 — — — — — — — — —	145.00
MKF-350-R	Head, vertical monocular BH-PT — — — — — — — — —	16.60
(The above heads are also suitable for CH microscopes)		
MKF-600-F	Mechanical stage BH-SV, right-hand controls — — — — —	88.00
MKF-630-H	Mechanical stage BH-SVL, left-hand controls — — — — —	88.00
MKF-680-S	Mechanical stage BH-SH, double controls, partly rotating —	152.00
MKF-800-M	Condenser, Abbe, NA 1.25 BH-CD — — — — — — — — —	22.50
MKF-820-V	Condenser, achromatic/aplanatic, NA 1.4, BH-AAC — — — — —	96.50
MKF-840-H	Condenser, low power, BH-ULC NA 0.1, for use with objectives 1.3× and 2× — — — — — — — — —	13.50
MKF-860-Q	Condenser, dark field BH-DCW for use with objectives 10× to 100× — — — — — — — — —	199.00
(For use with above the 100× objective must have an iris diaphragm as MMS-240-190K)		
MJF-880-C	Condenser, dark field BH-DCD for use with objectives 10× to 40× — — — — — — — — —	150.00
MKF-900-E	Condenser BH-PC. (Can also be used for bright field.) — — — — —	117.00
MKF-920-N	Condenser BH-NC for differential interference contrast — — — — —	681.00
MKH-210-504F	Magnification changer AH-CA — — — — — — — — —	301.00
MKH-210-516V	Barrier filter attachment AH-FA, with filters — — — — — — — — —	166.80
MKH-210-528X	Barrier filter attachment BH-FA, single, fixed filter — — — — —	121.30
MKH-220-506R	Intermediate differential interference contrast attachment AH-NA — — — — — — — — —	332.00
MKH-220-512W	Observation screen BH-MPS, with adapter — — — — — — — — —	194.00
MKH-220-518K	Observation screen BH-SPS, high resolution, with adapter — —	483.00
MKH-220-530U	Double observation head BH-DO, with trinocular head — — — — —	463.00
MKH-220-540R	Spare transformer TDO, as supplied with BH-DO — — — — — — —	28.50
MKH-220-544J	Spare pointer lamp bulb for BH-DO — — — — — — — — —	2.10
MKH-230-510T	Incident illuminator BH-MA, with lamp house and bulbs — — — — —	176.00
(Needs non-reflective objectives, please ask for details)		
MKH-230-540K	Quartz halogen lamp for BH-MA, BH-LSMH with transformer — — — — —	205.00
MKH-240-508W	Polariser/analyser BH-POL, ungraduated — — — — — — — — —	66.50
MKH-240-520J	Differential interference contrast outfit for transmitted light, BH-NIC. Needs, but does not include, plan-achromat objectives — — — — — — — — —	1472.00
MKH-240-540D	Incident fluorescence illuminator BH-RFL with set of four dichroic mirrors and relevant filters and special objectives —	2078.00
MKH-240-560V	Drawing attachment BH-DA, with FK5× eyepiece— — — — — — —	210.00
Modular Photomicroscope: Vanox		
MKU-350-F	Photomicroscope, Vanox, standard biological outfit — — — — — (For details of the many accessories, please ask for brochure and price list)	2922.00
Accessories for Vanox		
MKU-370-510X	Condenser, swing-out, NA 0.85 max. — — — — — — — — —	155.00
MKU-370-518V	Condenser, dark field, A-DC-W, immersion, NA 1.2-1.4 — — — — — (For use with above, the 100× objective should have an iris diaphragm)	209.00
MKU-370-526W	Condenser, dark field L-DC-7, dry for objectives 10× to 40X. NA 0.8-0.92 — — — — — — — — —	138.00
MKU-390-A	Eyepiece 35-WF 10×, 35mm format — — — — — — — — —	44.50
MKU-395-Q	Eyepiece 4×5-WF 10×, 4×5in. format — — — — — — — — —	44.00
MKU-405-C	Eyepiece P-WF 10×, 3½×4¼in. format — — — — — — — — —	43.50
MKU-410-C	Eyepiece AH-WF 10×, plain, to match above — — — — — — — — — (For details of PM-10 and OM-2 camera systems please request price list and brochures)	31.50

Cat. No.	Description	Price £
Inverted Microscopes CK		
MKX-500-R	Model CKP-Bi-1, binocular with plain stage - - - -	498.00
MKX-520-D	Model CKP-Tri-1, trinocular with plain stage - - - -	540.00
MKX-560-V	Model CKC-Bi-1, binocular with mechanical stage - - - -	585.00
MKX-580-H	Model CKC-Tri-1, trinocular with mechanical stage - - - -	626.00
Spares and Accessories for CK		
MKX-610-010W	Spare lamp bulb, 12 watt - - - - -	1.50
MKX-610-520W	Phase contrast outfit, with 10× and 20× objectives. CK-PC-2	210.00
MKX-610-540Q	Achromatic long working distance objective C 20× - - - -	49.00
Inverted Research Microscope IMT		
MLA-200-H	Model IMT-313, trinocular. (Photo eyepiece FK 3.3× included) - - - - -	2158.00
Spares for IMT		
MLA-220-030H	Lamp bulb, 6 volt 30 watt, pre-centred - - - - -	5.15
MLA-220-060V	Green filter - - - - -	3.60
(Accessories for IMT include incubator, time lapse cine equipment, fluorescence attachment, etc. Please enquire for prices and details)		
Stereoscopic Microscopes VM		
MLE-150-J	Model VMF-4S, magnification 40× - - - - - (Other models are available with magnification of 10× and 20×)	166.00
MLE-190-E	Model VMT-2S, magnifications 10× and 20× - - - - -	194.00
MLE-210-G	Model VMT-4S, magnifications 10× and 40× - - - - -	205.00
MLE-260-R	Model VMZ - - - - -	P.O.A.
MLE-380-S	Head only, with eyepiece, VMF-4 - - - - -	124.50
MLE-410-N	Head only, with eyepiece, VMT-2 - - - - -	152.00
MLE-430-W	Head only, with eyepiece, VMT-4 - - - - -	163.00
MLE-470-R	Head only, with eyepiece, VMZ - - - - -	P.O.A.
Stands for VM		
MLE-520-V	Stand VM-STA, with stage plates and clips - - - - -	41.50
MLE-540-H	Mounting bracket VM-ST1, for use with VS-4 and VS-5 stands - - - - - (For details of universal stands VS-4 and VS-5 please see page 6)	38.70
Illuminators for VM		
MLE-610-U	Base illuminator VM-1LA, 20 watt - - - - -	44.20
MLE-640-W	Base, VM-1LB, needs VM-LSG illuminator - - - - -	P.O.A.
MLE-700-T	Fluorescence illuminator VM-FL with transformer TK - - - - -	88.50
MLE-720-F	Epi illuminator VM-LSG with transformer TL - - - - -	72.00
Accessories for VM		
MLE-770-502P	Conversion objective lens 0.5× (requires VM-ET extension) - - - - -	22.10
MLE-770-506H	Conversion objective lens 0.75× - - - - -	22.10
MLE-770-510Q	Conversion objective lens 1.5× - - - - -	22.10
MLE-770-514Y	Conversion objective lens 2.0× - - - - -	22.10
MLE-770-530K	Extension tube (VM-ET) for use with 0.5× - - - - -	9.95
MLE-770-534C	Polarising attachment VM-POL - - - - -	36.00
	Eyepieces, wide field, high eyepoint GWH 10× for wearers of spectacles - - - - -	33.20 pair
MLE-770-540H	Storage cabinet VM-WSC - - - - -	27.70

Cat. No.	Description	Price £
Spares for VM		
MJF-950-030R	Lamp bulb 20 watt for VM-1LA base illuminator	2.35
	Fluorescent tube for VM-FL illuminator	00.00
MKE-430-504F	Lamp bulb 6 volt 15 watt for VM-LSG epi illuminator	5.15

Stereoscopic Microscopes

MLP-700-B	Model X-Tr, magnifications 6.3× to 80× in steps	645.00
MLR-320-W	Model SZ-3, magnifications 7× to 40× continuous zoom	379.00
MLR-350-B	Model SZ-Tr, as SZ-3 but with vertical photo tube	489.00

Accessories for SZ-3 and SZ-Tr

MLR-370-506B	Attachable objective 0.5×, with extension pillar for SZ-3/SZ-Tr	51.00
MLR-370-510K	Attachable objective 0.75×, for SZ-3/SZ-Tr	21.50
MLR-370-514C	Attachable objective 1.5× for SZ-3/SZ-Tr	25.50
MLR-370-518R	Attachable objective 2.0× for SZ-3/SZ-Tr	25.50

Objectives

All objectives are parfocal, fo r160mm tube length and with RMS thread.

MMS-200-070C	Achromat NA 0.10/4×	7.90
MMS-200-090T	Achromat NA 0.25/10×	11.00
MMS-200-110Q	Achromat NA 0.40/20×	35.00
MMS-200-130K	Achromat NA 0.65/40×	24.00
MMS-200-150E	Achromat NA 0.65/40× sprung	29.50
MMS-200-170V	Achromat NA 0.80/60× sprung	44.00
MMS-200-190P	Achromat NA 1.30/100× sprung, oil immersion	45.00
MMS-240-190K	Achromat NA 1.30/100× oil immersion, iris for dark field	53.00
MMS-270-070W	Achromat semi-flat NA 0.10/4×	16.50
MMS-270-090Q	Achromat semi-flat NA 0.25/10×	28.00
MMS-270-110N	Achromat semi-flat NA 0.40/20×	35.00
MMS-270-130H	Achromat semi-flat NA 0.65/40× sprung	42.00
MMS-270-190M	Achromat semi-flat NA 1.30/100× sprung, oil immersion	45.00
MMS-320-030P	Planachromat NA 0.03/1.3×	63.50
MMS-320-050J	Planachromat NA 0.05/210×	57.00
(The above two objectives should be used with an ultra-low or swing-out condenser.)		
MMS-320-070D	Planachromat NA 0.10/4×	39.00
MMS-320-090U	Planachromat NA 0.25/10×	62.00
MMS-320-110R	Planachromat NA 0.40/20× sprung	64.00
MMS-320-130L	Planachromat NA 0.65/40× sprung	84.50
MMS-320-130Q	Planachromat NA 1.25/100× sprung, oil immersion	166.50
MMS-320-210N	Planachromat superwide NA 1.25 100×, sprung, oil immersion	293.00
MMS-360-190G	Fluorite NA 0.75/40× sprung	70.50
MMS-360-170R	Fluorite NA 0.95/60× sprung. Correcting collar	355.00
MMS-360-190L	Fluorite NA 1.30/100× sprung. Oil immersion	114.00
MMS-390-130Y	Apochromatic NA 0.85/40× sprung. Correcting collar	273.00
MMS-390-150C	Apochromatic NA 1.00/40× sprung. Oil immersion	166.00
MMS-420-070S	Planapochromatic NA 0.16/4×	144.00
MMS-420-090M	Planapochromatic NA 0.32/10× sprung	137.00
MMS-420-110J	Planapochromatic NA 0.65/20× sprung	180.00
MMS-420-130D	Planapochromatic NA 0.95/40× sprung	420.00
MMS-420-190Y	Planapochromatic NA 1.30/100× sprung. Oil immersion	602.00
MMS-480-090Q	Phase contrast semi-flat NA 0.25/10×	34.00
MMS-480-110N	Phase contrast semi-flat NA 0.40/20×	43.00
MMS-480-130H	Phase contrast semi-flat NA 0.65/40× sprung	54.00
MMS-480-190M	Phase contrast semi-flat NA 1.30/100× sprung. Oil immersion	63.00
MMS-510-130C	Phase contrast fluorite NA 0.75/40× sprung	77.50
MMS-510-190H	Phase contrast fluorite NA 1.30/100× sprung. Oil immersion	126.00
MMS-540-090N	Plan phase contrast NA 0.00/10×	93.00
MMS-540-130E	Plan phase contrast NA 0.00/40× sprung	160.00
MMS-540-190J	Plan phase contrast NA 0.00/100× sprung. Oil immersion	185.00

(NOTE: The above plan phase contrast objectives will only function correctly when used with condenser BH-NC)

Cat No.	Description	Price £
Objectives—cont.		
MMS-570-090P	Non-fluorescent plan NA 0.25/10×	83.00
MMS-570-110M	Non-fluorescent plan-apo NA 0.65/20×	201.00
MMS-570-130G	Non-fluorescent apochromatic NA 1.00/40×. Silicone oil immersion	170.00
MMS-570-190L	Non-fluorescent fluorite NA 1.30/100× sprung. Silicone oil immersion	121.00

Oils for Immersion Objectives

MMS-800-V	For normal use : refractive index 1.515. Bottle, approx. 28 ml.	2.26
MMS-840-Q	For fluorescence microscopy: refractive index 1.515. Bottle, approx. 28 ml.	3.40

Eyepieces, Standard Diameter

MMT-220-110P	Huygenian, single, H 5×	6.50
MMT-220-190X	Huygenian, single, H 7×	6.50
MMT-220-230F	Huygenian, single, H 10×	6.50
MMT-250-190Q	Compensation, single, P 7×	12.00
MMT-250-210N	Compensation, pair, P 7×	24.50
MMT-250-230H	Compensation, single, P 10×	12.00
MMT-250-270S	Compensation, single, P 15×	12.00
MMT-250-290M	Compensation, pair, P 15×	24.50
MMT-250-310J	Compensation, single, K 20×	15.00
MMT-250-330D	Compensation, pair, K 20×	29.50
MMT-270-230Q	Pointer, single, 10×	12.50
MMT-310-230E	Wide field, compensation, single, WF 10×	15.00
MMT-310-250V	Wide field, compensation, pair, WF 10×	29.50
MMT-310-270P	Wide field, compensation, single, WF 15×	15.00
MMT-310-290J	Wide field, compensation, pair, WF 15×	29.50
MMT-330-250H	Wide field, compensation, pair, HEPWF 10×, high eye-point	34.00
MMT-390-030C	Photo, highly corrected FK 2.5×	17.50
MMT-390-070N	Photo, highly corrected FK 3.3×	17.50
MMT-390-110E	Photo, highly corrected FK 5.0×	17.50
MMT-390-150P	Photo, highly corrected FK 6.7×	17.50

(NOTE: FK eyepieces are not recommended for use on stereo photo microscopes, such as SZ-Tr. P type eyepieces should be used instead)

Eyepieces, Large for Stereo

MMT-440-250P	Pair, G 10× (please specify model of microscope)	27.00
MMT-440-290D	Pair, G 15×	27.00
MMT-440-330R	Pair, G 20×	27.00

Micrometer Eyepieces, Standard Diameter

MMT-700-T	OSM, filar type with graduated drum	90.00
MMT-730-V	P 7× with linear graticule (19mm. dia.)	18.50
MMT-760-A	WF 10× with linear graticule (19mm. dia.)	19.50

19mm dia. Graticules for MMT-730-V and MMT-760-A

MNH-200-H	Horizontal scale, 10mm. in 100 divisions	7.30
MNH-230-J	Vertical scale, 10mm. in 100 divisions	7.30
MNH-260-L	Horizontal and vertical scales, both 10mm. in 100 divisions	7.30
MNH-290-N	Horizontal and vertical plain cross-lines	7.30
MNH-330-B	Square grid 1cm. in 100 1mm. squares, numbered and lettered	7.30
MNH-370-T	For particle size determination, to BS 3625	10.60
MNH-420-A	Whipple, for counting bacteria	7.30

Stage Micrometers, for Calibration

MNH-550-R	10mm. scale in 100 divisions	6.90
MNH-580-T	1mm. scale in 100 divisions	6.90
MNH-610-X	0.1mm. scale in 50 divisions	10.60

(All stage micrometers mounted on 75×25mm. slides)

Cat. No.	Description	Price £
	Micrometer Eyepiece, Large, for Stereo	
MMT-790-C	G 10×-D, with linear graticule (24mm) - - - - (For alternative types of 24mm graticules, please ask for quotation)	26.00
	Condensers for Microscopes HSC and old types K, KH, E, EH and GB	
MMV-200-Q	Condenser, Abbe, NA 1.25. Swing-out tray for 23.5mm. filters	22.00
MMV-290-W	Condenser, dark field DC-1, NA 1.33 to 1.2 (must be used with objective MMS-240-190K) - - - -	161.00
MMV-330-K	Condenser, dark field DC-6, NA 1.4 to 1.2 when used with immersion oil (must be used with objective MMS-240-190K) - - - -	176.00
MMV-360-M	Condenser, dark field DC-7, NA 0.92 to 0.8. Dry condenser for medium power use - - - -	132.00
	Illuminators	
MMV-600-H	Illuminator, LSD, 30 watt, for Kohler illumination. High intensity type. With transformer, two spare bulbs and blue filter - - - -	106.00
MMV-610-010U	Spare bulbs, 30 watt, for LSD lamp and microscopes type EHC, EHA, EHT and Vanox - - - -	1.50
MMV-650-030J	Illuminator LSG-2 for SZ-3. With two spare 12 watt bulbs and transformer - - - -	81.00
MMV-650-070U	Illuminator LSG-2 for VT-2. With two spare 12 watt bulbs and transformer - - - -	81.00
MMV-650-150W	Illuminator LSG-2 for X-Tr. With two spare 12 watt bulbs and transformer - - - -	81.00
MMV-670-010B	Spare bulb, 12 watt, frosted, for LSG-2 - - - -	1.50
MMV-700-W	Illuminator VL-FL, fluorescent, with transformer/choke - - (Please state type of stereoscopic microscope when ordering)	116.00
MMV-710-010M	Spare tube for VL-FL - - - -	10.50
MMW-330-A	Illuminator base, X-DE, with wooden arm-rests and two spare 20 watt bulbs - - - -	58.00
MMW-340-010N	Bulb for X-DE, 20 watt - - - -	1.00
MMV-900-G	Transformer, spare, TE-2 for LSD, 30 watt - - - -	47.00
MMV-930-Y	Transformer, spare, TH for BH-LSH, 100 watt - - - -	114.00
	Various Accessories	
MMW-370-S	Universal stand VS-4, for stereoscopic microscopes - - - -	117.00
MMW-410-G	Universal stand VS-5, heavy duty, for stereoscopic microscopes	230.00
MMW-600-U	Simple phase contrast outfit. Without centring telescope - -	104.00
MMW-610-030E	Spare green filter - - - -	3.60
MMW-610-508A	Centering telescope CT-4 - - - -	21.50
MMW-700-M	Phase contrast outfit BH-PB-PL, complete - - - -	332.00
MMW-850-P	Attachable mechanical stage (for HSC) FM-2 - - - -	40.00
	Photomicrographic Equipment	
MMX-210-M	Photomicrographic outfit, PM6 - - - -	217.00
MMX-220-506T	Adapter to fit PM6 to stereo microscopes. Not needed with X-Tr or SZ-Tr. - - - -	18.50
MMX-350-W	Photomicrographic outfit PM-10-35M 35mm. - - - -	411.00
MMX-360-P	Photomicrographic outfit PM-10-35A 35mm. - - - -	1402.00
MMX-380-B	Photomicrographic outfit PM-10-LIM 4×5in. - - - -	571.00
MMX-390-R	Photomicrographic outfit PM-10-LIA 4×5in. - - - - (NOTE: Film holder pack is not supplied with 4×5in. outfits. This should be obtained from a photographic dealer)	1473.00
MMX-410-T	Photomicrographic outfit PM-10-L2M Polaroid 3½×4½in. - -	646.00
MMX-420-M	Photomicrographic outfit PM-10-L2A - - - -	1548.00
MMX-510-504G	Filter set, consisting of three colour temperature compensation and four neutral density filters, all 45mm. diameter - -	102.00
MMX-610-D	OM-2 camera outfit for photomicrography - - - -	413.78
MMX-820-D	Exposure meter EMM-7 for PM6 or M type PM10 - - - -	229.00
	Closed Circuit Television	
MMX-850-F	National Panasonic CC TV outfit, complete with adaptor to fit standard RMS tube. Without microscope - - - -	507.00